VOLUME 44 1988

SUBJECT INDEX

Acetyl-l-carnitine, 769
  aging
  discrimination learning
N-acetyltransferase activity, 91
  gerbil/rat comparisons
  magnetic field
  melatonin
  pineal gland
  sex differences
  strain differences
Acoustic startle reflex, 117
  amygdala
Acute treatment, 473
  dopamine agonists
  isoproterenol
  urine output
  water intake
Adjunctive behavior
  alcohol, 775
  ethanol intake, 817
  humans, 775
  schedule-induced polydipsia, 817
Adrenal catecholamines, 69
  hypertension
  lithium chloride
  strain differences
  systolic blood pressure
Adrenalectomy
  brain development, 373
  corticosterone, 109
  dexamethasone, 109
  maze learning, 373
  mice, females, 109
  nicotine sensitivity, 109
Adult/neonate comparisons, 267
  analgesia
  capsaicin
  lordosis
  vaginal stimulation
Afferent discharge rate, 661
  sugar acids
  vagus nerve
Aging, 769
  acetyl-l-carnitine
  discrimination
Aggression
  gonads, 227
  hamsters, 235
  hamsters, female, 227
  hypothalamus, 235
  intermale aggression, 735
  photoperiod, 227
  pineal gland, 227
  testosterone, 735
  vasopressin, 235
Alcohol, 775
  adjunctive behavior
  humans
Ambulatory activity, 413
  compact device
Amphetamine
  dopamine release, 607
  food intake, 501
  hypothalamic infusion, 607
  norepinephrine release, 607
  nutrient selection, 501
  self-administration, 501
  serotonin release, 607
  water intake, 501
Amygdala, 117
  acoustic startle reflex
Analgesia
  adult/neonate comparisons, 267
  capsaicin, 267
  gender, 257
  gonadectomy, 257
  lordosis, 267
  vaginal stimulation, 267
Analgesia, clip induced, 39
  immobility, clip induced
  sensory modalities
Analgesia, stress-induced, 383
  behavioral changes
  opiate antagonists
  selective breeding
  social conflict
Angiotensin II, 327
  angiotensin II-(4–8)-pentapeptide
  behavior
Angiotensin II-(4–8)-pentapeptide, 327
  angiotensin II
  behavior
H_1-antagonists, 539
  food intake
  neuronal histamine
  H_1-receptors
Apparatus,
  compact device, 413
  Y-maze, 53
Auditory cortex, 405
  differential conditioning
  heart rate
  rabbits
Auditory stimulus, 241
  evoked potentials
  reaction-time
  visual stimulus

Bacterial flora, 147
  rats, female
  sexual attractiveness
  vagina
Baroreflex, 101
  classical conditioning
  dogs
  heart rate response
Behavior
  angiotensin II, 327
  angiotensin II-(4–8)-pentapeptide, 327
  social stress, 307
  suckling period, 307
Behavioral changes, 383
  analgesia, stress-induced
  opiate antagonists
  selective breeding
  social conflict
Behavioral data analysis, 421
  computerized system
  data logging
Bicuculline, 361
  defense reaction
  inferior colliculus
Blood glucose
  feeding behavior, 611
  food deprivation, 611
  food intake, 581
  fructose, 625
  homeostasis, 581
  hypothalamus, 581
  meal initiation, 625
  α_2-noradrenergic receptors, 611
  plasma free fatty acids, 581
Blood pressure, 75
  feeding
  heart rate
  strain differences
Body temperature, 247
  circadian rhythms
  lesions, suprachiasmatic nuclei
  methamphetamine
  plasma corticosterone
Body weight
  brown adipose tissue, 95
  chronic infusion, 95
  circadian rhythm, 763
  estradiol, 573
  food intake, 95, 445, 573
  insulin infusion, 95
  learned helplessness, 483
  preweaning, 763
  rats, lean/obese comparisons, 573
  running wheel activity, 445
  satietin, 445
  stress, 483
  taste aversion, 483
  thermogenesis, 95
  white adipose tissue, 95
Body weight restriction, 561
  catch-up growth
  food utilization
  lesions, dorsomedial hypothalamic nucleus
  organ growth
Brain
  amygdala, 27
  auditory cortex, 405
  cortex, 495
  dorsomedial hypothalamic nucleus, 561
  entorhinal-pyriform cortex, 27

hippocampus, 393, 495, 769
hypothalamus, 235, 393, 539, 581, 599, 611
inferior colliculus, 361
lateral hypothalamic area, 555
lateral hypothalamus, 53, 347, 507, 581, 607
lateral septum, 53
medial septum, 53
medulla pons, 495
mesencephalic locomotor region, 803
midbrain, 495
nucleus accumbens, 599
paraventricular hypothalamus, 581
paraventricular nucleus, 611
stria terminalis, 699
striatum, 393, 469, 495
substantia nigra, 199
subthalamus locomotor region, 803
ventromedial hypothalamic nucleus, 555
ventromedial hypothalamus, 581, 699
Brain damage, 803
male sexual behavior
mesencephalic region
subthalamus region
Brain development 373
adrenalectomy
maze learning
Brain localization, 669
chicks
food intake
insulin
neuropeptide Y
Brown adipose tissue, 95
body weight
chronic infusion
food intake
insulin infusion
thermogenesis
white adipose tissue
Bulbectomy, 339
memory deficit
passive-avoidance learning
Bulbospongiosus muscle, 125
fertility
sexual behavior

Caffeine, 367
memory
mood
Cannibalism, 313
food hoarding
food restriction
hamsters
infanticide
maternal aggression
social dominance
Capsaicin, 267
adult/neonate comparisons
analgesia
lordosis
vaginal stimulation
Castration, 291
ingestive behavior
rats, male
sexual behavior
steroid hormones
Catch-up growth, 561
body weight restriction
food utilization
lesions, dorsomedial hypothalamic nucleus
organ growth
Catecholamine, 273
corticosterone
stress
Cerebrospinal fluid, 205
fasting
feeding behavior
glucose levels
insulin responses
plasma
Chemical control, 555
feeding motivation
neuronal control
sugar acids
Chickens, 15
cinanserin
cyproheptadine
differential blockade
serotonergic systems
tonic immobility
Chicks, 669
brain localization
food intake
insulin
neuropeptide Y
Cholecystokinin
food intake, 527, 645
gastric emptying, 645
human studies, 645
rats, gastric vagotomized, 527
Chorda tympani nerve, 625
drinking patterns
eating patterns
sublingual salivary glands
submaxillary salivary glands
Chronic infusion, 95
body weight
brown adipose tissue
food intake
insulin infusion
thermogenesis
white adipose tissue
Chronic recording, 821
micropositioner
single unit recording
Cinanserin, 15
chickens
cyproheptadine
differential blockade
serotonergic systems
tonic immobility
Circadian rhythms
body temperature, 247
body weight, 763
feeding behavior, 221
histamine infusion, 221
lesions, serotonergic system, 393
lesions, suprachiasmatic nuclei, 247
methamphetamine, 247
plasma corticosterone, 247
preweaning, 763
Classical conditioning, 101
baroreflex
dogs
heart rate response
Cold exposure, 753
dishabituation
habituation
Compact device, 413
ambulatory activity
Computerized system, 421
behavioral data analysis
data logging
Conditioned neural responses, 85
2^{14}C2-deoxyglucose
postnatal olfactory conditioning
respiration
Conditioned responses, 507
lateral hypothalamus
rabbits
taste stimuli
Conditioned taste aversion, 189
2-deoxy-D-glucose
hyperphagia
rat/hamster comparisons
Copulation-illness associations, 749
ultrasonic vocalizations
Cortical EEG activity, 389
rats, young/aged comparisons
Corticosterone, 273
catecholamine
stress
Corticosterone
adrenalectomy, 109
dexamethasone, 109
food deprivation, 137
glucose, 137
mice, females, 109
nicotine sensitivity, 109
weight, 137
Cyproheptadine, 15
chickens
cinanserin
differential blockade
serotonergic systems
tonic immobility

Data acquisition system, 829
long-term monitoring
ultrasonic vocalization
Data collection system, 825
event recording
sexual behavior
Data logging, 421
behavioral data analysis
computerized system
Defense reaction, 361
bicuculline
inferior colliculus
2-Deoxy-D-glucose
conditioned taste aversion, 189
hyperphagia, 189
insulin, 633
lateral hypothalamus, 633
monoamine transmitter, 633
rat/hamster comparisons, 189
rats, sated/fasted comparisons, 633
2^{14}C2-Deoxyglucose, 85
conditioned neural responses
postnatal olfactory conditioning
respiration
Dexamethasone, 109
adrenalectomy
corticosterone
mice, females
nicotine sensitivity
Diazepam, 193
operant behavior
perinatal undernutrition
Differential blockade, 15
chickens
cinanserin
cyproheptadine
serotonergic systems
tonic immobility
Differential conditioning, 405

auditory cortex
heart rate
rabbits
Differential intervention, 53
electrical self-stimulation
lateral hypothalamus
lateral septum
learning
medial septum
reward
Discrimination learning, 769
acetyl-l-carnitine
aging
Dishabituation, 753
cold exposure
habituation
Diuresis, 431
superior laryngeal nerve
Dogs, 101
baroreflex
classical conditioning
heart rate response
Dopamine, 599
feeding
hypothalamus
nucleus accumbens
Dopamine agonists, 473
acute treatment
isoproterenol
urine output
water intake
Dopamine D-2, 545
food consumption
palatability
Dopamine release, 607
amphetamine
hypothalamic infusion
norepinephrine release
serotonin release
Dopaminergic activity, 569
D-1 receptors
D-2 receptors
positive reinforcement
sham feeding intake
Drinking patterns
chorda tympani nerve, 625
eating patterns, 625
saccharin, 21
sublingual salivary glands, 625
submaxillary salivary glands, 625
Drugs
acepromazine, 27
amphetamine, 501, 607
d-amphetamine, 545
apomorphine, 469
bicuculline, 361
bromocriptine, 473
2-buten-4-olide, 661
β-chlornaltrexamine, 383
chlorpheniramine, 539
cimetidine, 539
2-deoxy-D-glucose, 209, 633
2-deoxytetronic acid, 661
dexamethasone, 109
diazepam, 193
3,4-dihydroxbutanoic acid, 661
5,7-dihydroxytryptamine, 393
domperidone, 473
dopamine, 473, 599
drinking patterns, 21
famotidine, 539
d-fenfluramine, 453
α-fluoromethylhistidine, 539
fluoxetine, 453
hexamethonium, 355
6-hydroxydopamine, 469
isoproterenol, 473
lithium, 27
lithium chloride, 749
mepyramine, 539
methamphetamine, 247, 413
methyl palmoxirate, 209
morphine, 39
naloxone, 383, 491
pilocarpine, 27
promethazine, 539
quipazine, 453
raclopride, 569
SCH 23390, 569
serotonin, 453
spiperone, 473

Eating patterns, 625
chorda tympani nerve
drinking patterns
sublingual salivary glands
submaxillary salivary glands
Electrical self-stimulation, 53
differential intervention
lateral hypothalamus
lateral septum
learning
medial septum
reward
Endogenous cholecystokinin (CCK), 535
food intake
hepatic-portal infusion
satiety
Energy density, 727
food intake
satiety
sensory stimulation
Environment, 651
feeding pattern
food intake
humans
physiology
social factors
Estradiol
body weight, 573
food intake, 573
hormonal correlates, 1
musk shrew, female, 1
rats, lean/obese comparisons, 573
sexual behavior, 1
Estrogen
golden hamsters, 741
pair bonding, 691
prairie voles, 691
progesterone, 741
sexual behavior, 691
sexual receptivity, 741
social behavior, 691
Ethanol intake, 817
adjunctive behavior
schedule-induced polydipsia
Event recording, 825
data collection system
sexual behavior
Evoked potentials
auditory stimulus, 241
information processing, 215
P300, 215
reaction-time, 241
sleep, 215
visual stimulus, 241

Fasting, 205
cerebrospinal fluid
feeding behavior
glucose levels
insulin responses
plasma
Fatty acid oxidation, 209
food intake
glucose metabolism
hamsters
hunger motivation
Feeding
blood pressure, 75
dopamine, 599
heart rate, 75
hypothalamus, 599
nucleus accumbens, 599
strain differences, 75
Feeding behavior
blood glucose, 611
cerebrospinal fluid, 205
circadian rhythm, 221
fasting, 205
food deprivation, 611
glucose levels, 205
hamsters, 321
hexamethonium, 355
histamine infusion, 221
hyperglycemia, 347
hypoglycemia, 347
implantation failure, 321
insulin responses, 205
lateral hypothalamus, 347
nicotine, 355
α-noradrenergic receptors, 611
plasma, 205
progesterone levels, 321
social status, 321
Feeding motivation, 555
chemical control
neuronal control
sugar acids
Feeding pattern, 651
environment
food intake
humans
physiology
social factors
d-Fenfluramine, 453
rat, gastric-fistulated
serotonin
sham-feeding
Fertility, 125
bulbospongiosus muscle
sexual behavior
Fetus, 131
hypoxia
ontogenetic adaptations
umbilical cord occlusion
Fever, 709
rapid eye movement
sleep
Flank gland, 759
hamster
heterosexual communication
mate choice
Food consumption, 545
dopamine D-2
palatability
Food deprivation
corticosterone, 137
glucose, 137
lateral hypothalamic neurons, 591

monoamine metabolism, 495
odor stimulation, 591
rat, Zucker, 495
weight, 137
Food hoarding, 313
cannibalism
food restriction
hamsters
infanticide
maternal aggression
social dominance
Food ingestion
glucose, 679, 685
insulin, 679, 685
phentolamine, 685
tolbutamide, 679
Food intake
amphetamine, 501
H_1-antagonists, 539
blood glucose, 581
body weight, 95, 445, 573
brain localization, 669
brown adipose tissue, 95
chicks, 669
cholecystokinin, 527, 645
chronic infusion, 95
endogenous cholecystokinin (CCK), 535
energy density, 727
environment, 651
estradiol, 573
fatty acid oxidation, 209
feeding pattern, 651
gastric capacity, 665
gastric distension, 665
gastric emptying, 645
glucose metabolism, 209
hamsters, 209
hepatic-portal infusion, 535
homeostasis, 581
humans, 651, 665
human studies, 645
hunger motivation, 209
hypothalamus, 581
insulin, 669
insulin infusion, 95
neurobehavioral development, 781
neuronal histamine, 539
neuropeptide Y, 669, 797
nutrient selection, 501
physiology, 651
plasma free fatty acids, 581
rabbits, 797
rats, gastric vagotomized, 527
rats, lean/obese comparisons, 573
H_1-receptors, 539
running wheel activity, 445
satietin, 445
satiety, 535, 727
self-administration, 501
sensory stimulation, 727
social factors, 651
stress, maternal, 781
stress, prenatal, 781
thermogenesis,95
water intake, 501,797
water intake, maternal, 781
white adipose tissue, 95
Food preferences, 61
human studies
temperature
Food restriction, 313
cannibalism
food hoarding
hamsters
infanticide
maternal aggression
social dominance
Food utilization, 561
body weight restriction
catch-up growth
lesions, dorsomedial hypothalamic nucleus
organ growth
Fructose, 625
blood glucose
meal initiation

Gastric capacity, 665
food intake
gastric distension
humans
Gastric distension, 665
food intake
gastric capacity
humans
Gastric emptying, 645
cholecystokinin
food intake
human studies
Gender, 257
analgesia
gonadectomy
Gerbil/rat comparisons, 91
N-acetyltransferase activity
magnetic field
melatonin
pineal gland
sex differences
strain differences
Glucose
corticosterone, 137
food deprivation, 137
food ingestion, 679, 685
insulin, 679, 685
phentolamine, 685
tolbutamide, 679
weight, 137
Glucose levels, 205
cerebrospinal fluid
fasting
feeding behavior
insulin responses
plasma
Glucose metabolism, 209
fatty acid oxidation
food intake
hamsters
hunger motivation
Golden hamsters, 741
estrogen
progesterone
sexual receptivity
Gonadectomy, 257
analgesia
gender
Gonads, 227
aggression
hamsters, female
photoperiod
pineal gland

Habituation, 753
cold exposure
dishabituation
Hamsters
aggression, 235
cannibalism, 313
fatty acid oxidation, 209
fetal mortality, 321
flank gland, 759
food hoarding, 313
food intake, 209
food restriction, 313
glucose metabolism, 209
heterosexual communication, 759
hunger motivation, 209
hypothalamus, 235
implantation failure, 321
infanticide, 313
mate choice, 759
maternal aggression, 313
progesterone levels, 321
social dominance, 313
social status, 321
vasopressin, 235
Hamsters, female, 227
aggression
gonads
photoperiod
pineal gland
Hamster vaginal discharge, 811
instrumental conditioning
pheromones
Heart rate
auditory cortex, 405
baroreflex, 101
blood pressure, 75
classical conditioning, 101
differential conditioning, 405
dogs, 101
feeding, 75
rabbits, 405
strain differences, 75
Hepatic-portal infusion, 535
endogenous cholecystokinin (CCK)
food intake
satiety
Heterosexual communication, 759
flank gland
hamster
mate choice
Hexamethonium, 355
feeding behavior
nicotine
Histamine infusion, 221
circadian rhythm
feeding behavior
Homeostasis, 581
blood glucose
food intake
hypothalamus
plasma free fatty acids
Hormone correlates, 1
estradiol
musk shrew, female
sexual behavior
Hormones
adrenaline, 273
corticosterone, 109
epinephrine, 581
estradiol, 1, 291, 573
estrogen, 691, 741
glucagon, 581
glucose, 679, 685
insulin, 581, 633, 669, 679, 685

noradrenaline, 273
norepinephrine, 581
plasma corticosterone, 247
progesterone, 741
steroid hormones, 291
steroids, 1
testosterone, 9, 291, 735
testosterone propionate, 257
Humans
adjunctive behavior, 775
alcohol, 775
environment, 651
feeding pattern, 651
food intake, 651, 665
gastric capacity, 665
gastric distension, 665
physiology, 651
social factors, 651
Human studies
cholecystokinin, 645
food intake, 645
food preferences, 61
gastric emptying, 645
temperature, 61
Hunger motivation, 209
fatty acid oxidation
food intake
glucose metabolism
hamsters
Hypothalamic infusion, 607
amphetamine
dopamine release
norepinephrine release
serotonin release
Hypothalamic stimulation, 165
medial preoptic area
penile responses
Hypothalamus
aggression, 235
blood glucose, 581
dopamine, 599
feeding, 599
food intake, 581
hamsters, 235
homeostasis, 581
nucleus accumbens, 599
plasma free fatty acids, 581
vasopressin, 235
Hydrochloric acid, 151
liver disease
mortality
sucrose
Hyperglycemia, 347
feeding behavior
hypoglycemia
lateral hypothalamus
Hyperphagia
conditioned taste aversion, 189
2-deoxy-D-glucose, 189
macronutrient self-selection, 181
obesity, 181
rat/hamster comparisons, 189
sucrose, 181
Hypertension, 69
adrenal catecholamines
lithium chloride
strain differences
systolic blood pressure
Hypertensive/hyperactive comparisons, 47
strain differences
stress
sympathetic-adrenal medullary response
Hypoglycemia, 347
feeding behavior
hyperglycemia
lateral hypothalamus
Hypothermia, stress-induced, 417
restraint treatment
stress ulcer
Hypoxia, 131
fetus
ontogenetic adaptations
umbilical cord occlusion

Immobility, clip induced, 39
analgesia, clip induced
sensory modalities
Implantation failure, 321
fetal mortality
hamsters
progesterone levels
social status
Infanticide, 313
cannibalism
food hoarding
food restriction
hamsters
maternal aggression
social dominance
Infant survival, 717
monkeys
postpartum infant-directed behavior
urinary estradiol
Inferior colliculus, 361
bicuculline
defense reaction
Information processing, 215
evoked potentials
P300
sleep
Ingestive behavior
castration, 291
lesions, 6-hydroxydopamine, 469
lesions, striatum, 469
orienting, contralateral, 469
orienting, ipsilateral, 469
rats, male, 291
sexual behavior, 291
steroid hormones, 291
striatal dopamine, 469
Instrumental conditioning, 811
hamster vaginal discharge
pheromones
Insulin
brain localization, 669
chicks, 669
2-deoxy-D-glucose, 633
food ingestion, 679, 685
food intake, 669
glucose, 679, 685
lateral hypothalamus, 633
monoamine transmitter, 633
neuropeptide Y, 669
phentolamine, 685
rats, sated/fasted comparisons, 633
tolbutamide, 679
Insulin infusion, 95
body weight
brown adipose tissue
chronic infusion
food intake
thermogenesis
white adipose tissue
Insulin responses, 205
cerebrospinal fluid
fasting
feeding behavior
glucose levels
plasma
Intermale aggression, 735
aggression
testosterone
Isoproterenol, 473
acute treatment
dopaminergic agonists
urine output
water intake

Jugular cannulation, 141
mink
remote blood sampling

Lactation, 301
postpartum aggression
suckling stimulation
thelectomy
Lateral hypothalamic neurons, 591
food deprivation
odor stimulation
Lateral hypothalamus
conditioned response, 507
2-deoxy-D-glucose, 633
differential intervention, 53
electrical self-stimulation, 53
feeding behavior, 347
hyperglycemia, 347
hypoglycemia, 347
insulin, 633
lateral septum, 53
learning, 53
medial septum, 53
monoamine transmitter, 633
rabbits, 507
rats, sated/fasted comparisons, 633
reward, 53
taste stimuli, 507
Lateral septum, 53
differential intervention
electrical self-stimulation
lateral hypothalamus
learning
medial septum
reward
Learned helplessness, 483
body weight
stress
taste aversion
Learning, 53
differential intervention
electrical self-stimulation
lateral hypothalamus
lateral septum
medial septum
reward
Lesions, brainstem, 173
lesions, electrolytic
parotid gland
parvocellularis
prandial drinking behavior
salivary secretion
submandibular gland
Lesions, dorsomedial hypothalamic nucleus, 561
body weight restriction

catch-up growth
food utilization
organ growth
Lesions, electrolytic, 173
lesions, brainstem
parotid gland
parvocellularis
prandial drinking behavior
salivary secretion
submandibular gland
Lesions, 6-hydroxydopamine, 469
ingestive behavior
lesions, striatum
orienting, contralateral
orienting, dopamine
striatal dopamine
Lesions, radiofrequency, 199
lesions, substantia nigra
locomotion
spontaneous rotation
substantia nigra
Lesions, serotonergic system, 393
circadian rhythms
Lesions, stria terminalis, 699
lesions, ventromedial hypothalamus
taste reactivity
Lesions, striatum, 469
ingestive behavior
lesions, 6-hydroxydopamine
orienting, contralateral
orienting, ipsilateral
striatal dopamine
Lesions, substantia nigra, 199
lesions, radiofrequency
locomotion
spontaneous rotation
substantia nigra
Lesions, suprachiasmatic nuclei, 247
body temperature
circadian rhythms
methamphetamine
plasma corticosterone
Lesions, ventromedial hypothalamus, 699
lesions, stria terminalis
taste reactivity
Limbic seizures, 27
lithium
peripheral injection
pilocarpine
Lithium, 27
limbic seizures
peripheral injection
pilocarpine
Lithium chloride, 69
adrenal catecholamines
hypertension
strain differences
systolic blood pressure
Liver disease, 151
hydrochloric acid
mortality
sucrose
Locomotion, 199
lesions, radiofrequency
lesions, substantia nigra
spontaneous rotation
substantia nigra
Locomotor activity
passive infrared detector, 281
primates, 281
selective breeding, 787
sex differences, 787
spatial learning, 787
tree shrews, 281
Long-term monitoring, 829
data acquisition system
ultrasonic vocalizations
Lordosis, 267
adult/neonate comparisons
analgesia
capsaicin
vaginal stimulation

Macronutrient self-selection, 181
hyperphagia
obesity
sucrose
Magnetic field, 91
N-acetyltransferase activity
gerbil/rat comparisons
melatonin
pineal gland
sex differences
strain differences
Male sexual behavior, 803
brain damage
mesencephalic region
subthalamus region
Male choice, 759
flank gland
hamster
heterosexual communication
Maternal aggression
cannibalism, 313
food hoarding, 313
food restriction, 313
hamsters, 313
infanticide, 313
normal/castrated cage mates, 9
social dominance, 313
testosterone implants, 9
Maze learning, 373
adrenalectomy
brain development
Meal initiation, 625
blood glucose
fructose
Medial preoptic area, 165
hypothalamic stimulation
penile responses
Medial septum, 53
differential intervention
electrical self-stimulation
lateral hypothalamus
lateral septum
learning
reward
Melatonin, 91
N-acetyltransferase activity
gerbil/rat comparisons
magnetic field
pineal gland
sex differences
strain differences
Memory, 367
caffeine
mood
Memory deficit, 339
bulbectomy
passive-avoidance learning
Mesencephalic region, 803
brain damage
male sexual behavior
subthalamus region
Methamphetamine, 247
body temperature
circadian rhythms
lesions, suprachiasmatic nuclei
plasma corticosterone
Method
electrophysiology, 507, 619
footshock, 47
liquid chromatography, 495
microdialysis, 607
passive infrared detector, 281
Mice, females, 109
adrenalectomy
corticosterone
dexamethasone
nicotine sensitivity
Micropositioner, 821
chronic recording
single unit recording
Mink, 141
jugular cannulation
remote blood sampling
Monkeys, 717
infant survival
postpartum infant-directed behavior
urinary estradiol
Monkeys, aged male, 157
sexual exhaustion
Monoamine metabolism, 495
food deprivation
rat, Zucker
Monoamine transmitter, 633
2-deoxy-D-glucose
insulin
lateral hypothalamus
rats, sated/fasted comparisons
Mood, 367
caffeine
memory
Mortality, 151
hydrochloric acid
liver disease
sucrose
Musk shrew, female, 1
estradiol
hormonal correlates
sexual behavior

Naloxone, 491
opioid mediation
orosensory reward
sham feeding
sucrose intake
Neurobehavioral development, 781
food intake, maternal
stress, maternal
stress, prenatal
water intake, maternal
Neuronal control, 555
chemical control
feeding motivation
sugar acids
Neuronal histamine, 539
H_1-antagonists
food intake
H_1-receptors
Neuropeptide Y
brain localization, 669
chicks, 669
food intake, 669, 797
insulin, 669
rabbits, 797

water intake, 797
Nicotine, 355
feeding behavior
hexamethonium
Nicotine sensitivity, 109
adrenalectomy
corticosterone
dexamethasone
mice, females
α_2-Noradrenergic receptors, 611
blood glucose
feeding behavior
food deprivation
Norepinephrine release, 607
amphetamine
dopamine release
hypothalamic infusion
serotonin release
Normal/castrated cage mates, 9
maternal aggression
testosterone implants
Nucleus accumbens, 599
dopamine
feeding
hypothalamus
Nucleus of the solitary tract, 619
olfactory projections
taste mechanisms
visceral projections
Nutrient selection, 501
amphetamine
food intake
self-administration
water intake

Obesity, 181
hyperphagia
macronutrient self-selection
sucrose
Odor preference, 791
preputial factor
sex attractant
urinary factor
Odor stimulation, 591
food deprivation
lateral hypothalamic neurons
Olfactory projections, 619
nucleus of the solitary tract
taste mechanisms
visceral projections
Ontogenetic adaptations, 131
fetus
hypoxia
umbilical cord occlusion
Operant behavior, 193
diazepam
perinatal undernutrition
Opiate antagonists, 383
analgesia, stress-induced
behavioral changes
selective breeding
social conflict
Opioid mediation, 491
naloxone
orosensory reward
sham feeding
sucrose intake
Organ growth, 561
body weight restriction
catch-up growth
food utilization
lesions, dorsomedial hypothalamic nucleus
Orienting, contralateral, 469
ingestive behavior
lesions, 6-hydroxydopamine
lesions, striatum
orienting, ipsilateral
striatal dopamine
Orienting, ipsilateral, 469
ingestive behavior
lesions, 6-hydroxydopamine
lesions, striatum
orienting, contralateral
striatal dopamine
Orosensory reward, 491
naloxone
opioid mediation
sham feeding
sucrose intake

P300, 215
evoked potentials
information processing
sleep
Pair bonding, 691
estrogen
prairie voles
sexual behavior
social behavior
Palatability, 545
dopamine D-2
food consumption
Parotid gland, 173
lesions, brainstem
lesions, electrolytic
parvocellularis
prandial drinking behavior
salivary secretion
submandibular gland
Parvocellularis, 173
lesions, brainstem
lesions, electrolytic
parotid gland
prandial drinking behavior
salivary secretion
submandibular gland
Passive-avoidance learning, 339
bulbectomy
memory deficit
Passive infrared detector, 281
locomotor activity
primates
tree shrews
Penile responses, 165
hypothalamic stimulation
medial preoptic area
Peptides
angiotensin II, 327
cholecystokinin, 527, 645
endogenous cholecystokinin (CCK), 535
neuropeptide Y, 669
Perinatal undernutrition, 193
diazepam
operant behavior
Peripheral injection, 27
limbic seizures
lithium
pilocarpine
Phentolamine, 685
food ingestion
glucose
insulin
Pheromones, 811
hamster vaginal discharge
instrumental conditioning
Photoperiod, 227
aggression
gonads
hamsters, female
pineal gland
Physiology, 651
environment
feeding pattern
food intake
humans
social factors
Pineal gland
N-acetyltransferase activity, 91
aggression, 227
gerbil/rat comparisons, 91
gonads, 227
hamsters, female, 227
magnetic field, 91
melatonin, 91
photoperiod, 227
sex differences, 91
strain differences, 91
Pilocarpine, 27
limbic seizures
lithium
peripheral injection
Plasma, 205
cerebrospinal fluid
fasting
feeding behavior
glucose levels
insulin responses
Plasma corticosterone, 247
body temperature
circadian rhythms
lesions, suprachiasmatic nuclei
methamphetamine
Plasma free fatty acids, 581
blood glucose
food intake
homeostasis
hypothalamus
Positive reinforcement, 569
D-1 receptors
D-2 receptors
dopaminergic activity
sham feeding intake
Postnatal olfactory conditioning, 85
conditioned neural response
2[14]C2-deoxyglucose
respiration
Postpartum aggression, 301
lactation
suckling stimulation
thelectomy
Postpartum infant-directed behavior, 717
infant survival
monkeys
urinary estradiol
Prairie voles, 691
estrogen
pair bonding
sexual behavior
social behavior
Prandial drinking behavior, 173
lesions, brainstem
lesions, electrolytic
parotid gland

parvocellularis
salivary secretion
submandibular gland
Preputial factor, 791
odor preference
sex attractant
urinary factor
Preweaning, 763
body weight
circadian rhythm
Primates, 281
locomotor activity
passive infrared detector
tree shrews
Progesterone, 741
estrogen
golden hamsters
sexual receptivity
Progesterone levels, 321
fetal mortality
hamsters
implantation failure
social status

Rabbits
auditory cortex, 405
conditioned responses, 507
differential conditioning, 405
food intake, 797
heart rate, 405
lateral hypothalamus, 507
neuropeptide Y, 797
taste stimuli, 507
water intake, 797
Rapid eye movement, 709
fever
sleep
Rat, gastric-fistulated, 453
d-fenfluramine
serotonin
sham-feeding
Rat/hamster comparisons, 189
conditioned taste aversion
2-deoxy-D-glucose
hyperphagia
Rat, Zucker, 495
food deprivation
monoamine metabolism
Rats, female, 147
bacterial flora
sexual attractiveness
vagina
Rats, gastric vagotomized, 527
cholecystokinin
food intake
Rats, lean/obese comparisons, 573
body weight
estradiol
food intake
Rats, male, 291
castration
ingestive behavior
sexual behavior
steroid hormones
Rats, sated/fasted comparisons, 633
2-deoxy-D-glucose
insulin
lateral hypothalamus
monoamine transmitter
Rats, young/aged comparisons, 389
cortical EEG activity
Reaction-time, 241
auditory stimulus
evoked potentials
visual stimulus
D-1 receptors, 569
D-2 receptors
dopaminergic activity
positive reinforcement
sham feeding intake
D-2 receptors, 569
D-1 receptors
dopaminergic activity
positive reinforcement
sham feeding intake
H_1-receptors, 539
food intake
H_1-antagonists
neuronal histamine
Remote blood sampling, 141
jugular cannulation
mink
Reptile, chelonian, 333
sleep patterns
Respiration, 85
conditioning neural responses
2^{14}C2-deoxyglucose
postnatal olfactory conditioning
Restraint treatment, 417
hypothermia, stress-induced
stress ulcer
Reward, 53
differential intervention
electrical self-stimulation
lateral hypothalamus
lateral septum
learning
medial septum
Running wheel activity, 445
body weight
food intake
satietin

Saccharin, 21
drinking patterns
Salivary secretion, 173
lesions, brainstem
lesions, electrolytic
parotid gland
parvocellularis
prandial drinking behavior
submandibular gland
Salt preference, 285
strain differences
Satietin, 445
body weight
food intake
running wheel activity
Satiety
endogenous cholecystokinin (CCK), 535
energy density, 727
food intake, 535, 727
hepatic-portal infusion, 535
sensory stimulation, 727
Schedule-induced polydipsia, 817
adjunctive behavior
ethanol intake
Selective breeding
analgesia, stress-induced, 383
behavioral changes, 383
locomotor activity, 787
opiate antagonists, 383
sex differences, 787
social conflict, 383
spatial learning, 787
Self-administration, 501
amphetamine
food intake
nutrient selection
water intake
Sensory modalities, 39
analgesia, clip induced
immobility, clip induced
Sensory stimulation, 727
energy density
food intake
satiety
Serotonergic systems, 15
chickens
cinanserin
cyproheptadine
differential blockade
tonic immobility
Serotonin, 453
d-fenfluramine
rat, gastric-fistulated
sham-feeding
Serotonin release, 607
amphetamine
dopamine release
hypothalamic infusion
norepinephrine release
Sex attractant, 791
odor preference
preputial factor
urinary factor
Sex differences
N-acetyltransferase activity, 91
gerbil/rat comparisons, 91
locomotor activity, 787
magnetic field, 91
melatonin, 91
pineal gland, 91
selective breeding, 787
spatial learning, 787
strain differences, 91
Sexual attractiveness, 147
bacterial flora
rats, female
vagina
Sexual behavior
bulbospongiosus muscle, 125
castration, 291
data collection system, 825
estradiol, 1
estrogen, 691
event recording, 825
fertility, 125
hormone correlates, 1
ingestive behavior, 291
musk shrew, female, 1
pair bonding, 691
prairie voles, 691
rats, male, 291
social behavior, 691
steroid hormones, 291
Sexual exhaustion, 157
monkeys, aged male
Sexual receptivity, 741
estrogen
golden hamsters
progesterone
Sham feeding
d-fenfluramine, 453
naloxone, 491

opioid mediation, 491
orosensory reward, 491
rat, gastric-fistulated, 453
serotonin, 453
sucrose intake, 491
Sham feeding intake, 569
dopaminergic activity
positive reinforcement
D-1 receptors
D-2 receptors
Single unit recording, 821
chronic recording
micropositioner
Sleep
evoked potentials, 215
fever, 709
information processing, 215
P300, 215
rapid eye movement, 709
Sleep patterns, 333
reptile, chelonian
Social behavior, 691
estrogen
pair bonding
prairie voles
sexual behavior
Social conflict, 383
analgesia, stress-induced
behavioral changes
opiate antagonists
selective breeding
Social dominance, 313
cannibalism
food hoarding
food restriction
hamsters
infanticide
maternal aggression
Social factors, 651
environment
feeding pattern
food intake
humans
physiology
Social status, 321
fetal mortality
hamsters
implantation failure
progesterone levels
Social stress, 307
behavior
suckling period
Spatial learning, 787
locomotor activity
selective breeding
sex differences
Spontaneous rotation, 199
lesions, radiofrequency
lesions, substantia nigra
locomotion
substantia nigra
Steroid hormones, 291
castration
ingestive behavior
rats, male
sexual behavior
Strain differences
N-acetyltransferase activity, 91
adrenal catecholamines, 69
blood pressure, 75
feeding, 75
gerbil/rat comparisons, 91
heart rate, 75
hypertension, 69
hypertensive/hyperactive comparisons, 47
lithium chloride, 69
magnetic field, 91
melatonin, 91
pineal gland, 91
salt preference, 285
sex differences, 91
stress, 47
sympathetic-adrenal medullary response, 47
systolic blood pressure, 69
water intake, 461
Stress
body weight, 483
catecholamine, 273
corticosterone, 273
hypertensive/hyperactive comparisons, 47
learned helplessness, 483
strain differences, 47
sympathetic-adrenal medullary response, 47
taste aversion, 483
Stress, maternal, 781
food intake, maternal
neurobehavioral development
stress, prenatal
water intake, maternal
Stress, prenatal, 781
food intake, maternal
neurobehavioral development
stress, maternal
water intake, maternal
Stress ulcer, 417
hypothermia, stress-induced
restraint treatment
Striatal dopamine, 469
ingestive behavior
lesions, 6-hydroxydopamine
lesions, striatum
orienting, contralateral
orienting, ipsilateral
Sublingual salivary glands, 625
chorda tympani nerve
drinking patterns
eating patterns
submaxillary salivary glands
Submandibular gland, 173
lesions, brainstem
lesions, electrolytic
parotid gland
parvocellularis
prandial drinking behavior
salivary secretion
Submaxillary salivary glands, 625
chorda tympani nerve
drinking patterns
eating patterns
sublingual salivary glands
Substantia nigra, 199
lesions, radiofrequency
lesions, substantia nigra
locomotion
spontaneous rotation
Subthalamus region, 803
brain damage
male sexual behavior
mesencephalic region
Suckling period, 307
behavior
social stress
Suckling stimulation, 301
lactation
postpartum aggression
thelectomy
Sucrose
hydrochloric acid, 151
hyperphagia, 181
liver disease, 151
macronutrient self-selection, 181
mortality, 151
obesity, 181
Sucrose intake, 491
naloxone
opioid mediation
orosensory reward
sham feeding
Sugar acids
afferent discharge rate, 661
chemical control, 555
feeding motivation, 555
neuronal control, 555
vagus nerve, 661
Superior laryngeal nerve, 431
diuresis
Sympathetic-adrenal medullary response, 47
hypertensive/hyperactive comparisons
strain differences
stress
Systolic blood pressure, 69
adrenal catecholamines
hypertension
lithium chloride
strain differences

Taste aversion, 483
body weight
learned helplessness
stress
Taste mechanisms, 619
nucleus of the solitary tract
olfactory projections
visceral projections
Taste reactivity, 699
lesions, stria terminalis
lesions, ventromedial hypothalamus
Taste stimuli, 507
conditioned responses
lateral hypothalamus
rabbits
Temperature, 61
food preferences
human studies
Testosterone, 735
aggression
intermale aggression
Testosterone implants, 9
maternal aggression
normal/castrated cage mates
Thelectomy, 301
lactation
postpartum aggression
suckling stimulation
Thermogenesis, 95
body weight
brown adipose tissue
chronic infusion
food intake
insulin infusion
white adipose tissue

Tolbutamide, 679
food ingestion
glucose
insulin
Tonic immobility, 15
chickens
cinanserin
cyproheptadine
differential blockade
serotonergic systems
Tree shrews, 281
locomotor activity
passive infrared detector
primates

Ultrasonic vocalizations, 829
data acquisition system
long-term monitoring
Umbilical cord occlusion, 131
fetus
hypoxia
ontogenetic adaptations
Urinary estradiol, 717
infant survival
monkeys
postpartum infant-directed behavior
Urinary factor, 791
odor preference
preputial factor
sex attractant
Urine output, 473
acute treatment
dopaminergic agonists
isoproterenol
water intake
Ultrasonic vocalizations, 749
copulation-illness associations

Vagina, 147
bacterial flora
rats, female
sexual attractiveness
Vaginal stimulation, 267
adult/neonate comparisons
analgesia
capsaicin
lordosis
Vagus nerve, 661
afferent discharge rate
sugar acids
Vasopressin, 235
aggression
hamsters
hypothalamus
Visceral projections, 619
nucleus of the solitary tract
olfactory projections
taste mechanisms
Visual stimulus, 241
auditory stimulus
evoked potentials
reaction-time

Water intake
acute treatment, 473
amphetamine, 501
dopaminergic agonists, 473
food intake, 501, 797
isoproterenol, 473
neuropeptide Y, 797
nutrient selection, 501
rabbits, 797
self-administration, 501
strain differences, 461
urine output, 473
Water intake, maternal, 781
food intake, maternal
neurobehavioral development
stress, maternal
stress, prenatal
Weight, 137
corticosterone
food deprivation
glucose
White adipose tissue, 95
body weight
brown adipose tissue
chronic infusion
food intake
insulin infusion
thermogenesis

AUTHOR INDEX

Abbott, D. H., 717
Ackroff, K., 181
Alario, P., 307
Albert, D. J., 9, 735
Aldridge, J. W., 821
Anderson, W. R., 573
Angelucci, L., 769
Armstrong, D. L., 619
Ayala-Guerrero, F., 333

Badia, P., 215
Bagri, A., 361
Barnett, C. E., 685
Beauchamp, G. K., 285
Beidler, L. M., 625
Bellinger, L. L., 445, 561
Bernardis, L. L., 561
Bertino, M., 285
Bethel, A., 321
Black, R. M., 699
Blythe, B. L., 749
Bodnar, R. J., 257
Bodor, N., 573
Bohus, B., 581
Bonnefond, C., 141
Boyer, A., 347
Bradley, J.-C., 27
Brakkee, J. H., 199
Brandão, M. L., 361
Braszko, J. J., 327
Braughler, S. A., 15
Brenner, E., 241
Brewster, M., 573
Brioni, J. D., 193
Brown, J. M., 61
Burley, V. J., 727

Calderón, A., 333
Campfield, L. A., 625
Carlstead, K., 691
Carter, C. S., 691
Castillo, M. E., 173
Cazala, P., 53
Chambers, K. C., 157
Chapman, C. D., 483
Cierpial, M. A., 47
Coimbra, N. C., 361
Collins, A. C., 109
Cooper, M. L., 257
Cooper, S. J., 453, 491, 545
Coppola, D. M., 811
Courtois, F. J., 165
Cox, R. H., 69
Crews, D., 1

Danks, A. M., 199
Davis, M., 117
Dawson, R., Jr., 573
De Boer, S. F., 273
de Castro, J. M., 651
Deems, R. O., 151
Demaine, C., 829
DeRogatis, A. J., 645
Dess, N. K., 483
DiBattista, D., 189
Doyle, T. F., 775
Driscoll, D. W., 625
Durkin, T., 53
Dyson, E. M., 9, 735

Edwards, D. A., 803
Elias, J. W., 137
Ellison, G., 355
Elmore, L. A., 125
Engel, B. T., 753
Estes, K. S., 573
Everitt, B. J., 291

Falk, J. L., 817
Feldman, M. J., 561
Ferris, C. F., 235
Fischer, R. B., 759
Fleischmann, A., 39
Fleming, A. S., 227
Fouche, L. G., 141
Fregly, M. J., 461, 473
Friedman, M. I., 151
Frischknecht, H.-R., 383
Fuchs, E., 281
Fujimoto, K., 539
Fukagawa, K., 539
Fukata, J., 495
Fullenkamp, A. M., 759

Galey, D., 53
Gamallo, A., 307
Garcia, J., 483
Garcia-Diaz, D. E., 619
Garland, M., 301
Geary, N., 527
Geliebter, A., 665
Gentile, C. G., 405
Ghirardi, O., 769
Gilman, S., 821
Gispen, W. H., 199
Goldberg, B., 527
Goubern, M., 95
Gower, A. J., 787
Greenberg, D., 535
Gritz, E., 355
Guevara-Aguilar, R., 619

Hall, S., 469
Haraczkiewicz, E., 679
Hawkins, C. A., 291

Hayashi, S., 393
Heller, H., 373
Hendley, E. D., 47
Hennig, C. W., 15
Henschel, M., 91
Herbert, J., 291
Hernandez, L., 599, 607
Herndon, J. G., 421
Hetherington, M., 727
Himmi, T., 347
Hiroshige, T., 247
Hodges, J. K., 717
Hoebel, B. G., 599, 607
Holmes, D. G., 825
Holmes, G. M., 825
Honma, K.-i., 247
Honma, S., 247
Huck, U. W., 313, 321

Ikeda, H., 495
Imura, H., 495
Isaacson, R. L., 199
Ishihara, T., 389
Itoh, T., 413
Itowi, N., 221

Jacobowitz, D. M., 267
Jarrell, T. W., 405
Jarvik, M., 355
Jhanwar-Uniyal, M., 611
Jimenez-Montufar, L. L., 619
Jones, D., 821

Kanarek, R. B., 501
Kent, S., 709
Kim, M. H., 85
Kimura, T., 791
Kirkham, T. C., 491
Kissileff, H. R., 645
Knaepen, E., 763
Koch, P. C., 749
Kodis, M., 561
Komisaruk, B. R., 257, 267
Krimm, R. F., 625
Küderling, I., 281
Kuenzel, W. J., 669
Kupryszewski, G., 327
Kurre, J., 281

Lamberty, Y., 787
Larue-Achagiotis, C., 95
Laury, M. Cl., 95
Lawler, J. E., 69
Lazzarini, S. J., 209
Leão Borges, P. C., 361
Leibowitz, S. F., 611
Leon, M., 85
Lerchl, A., 281
Le Sauter, J., 527
Levesque, L., 227
Levin, E., 355
Lisk, R. D., 313, 321, 741
Liskowsky, D. R., 405
Loke, W. H., 367
Luiten, P. G. M., 581

McCabe, P. M., 405
McCarty, R., 47
McDonald, D., 373
McEwen, G., 561
McKay, M. V., 313
McMurtry, J., 669

MacDougall, J. C., 165
Maillard, C.-A., 803
Makarec, K., 27
Marks-Kaufman, R., 501
Martin, R. D., 717
Martinet, L., 141
Masuda, Y., 413
Matsuo, T., 495
Melville, L. D., 569
Mendel, V. E., 445
Merkx, J., 147
Meyer, J., 373
Milano, S., 769
Miller, I. J., Jr., 625
Miller, K. S., 321
Milligan, S. R., 829
Miñano, F. J., 633
Mirmiran, M., 241
Miyaoka, Y., 431
Montgomery-St. Laurent, T., 759
Mook, D. G., 21
Murai, S., 413
Murakami, H., 413
Muurahainen, N., 645
Myers, M. M., 75
Myers, R. D., 633

Nagai, K., 221
Nakagawa, H., 221
Nakai, Y., 495
Nakaishi, S., 495
Natelson, B. H., 101
Naylor, S. K., 69
Neill, J. C., 453
Nejad, M. S., 625
Niijima, A., 661
Ninomiya, K., 791

O'Connell, R. J., 811
O'Connor, E. F., 69
Oestreicher, A. B., 199
Ohi, K., 393
Ookuma, K., 539
Oomura, Y., 555
Orsingher, O. A., 193
Orsini, J. C., 347

Papamichael, M. J., 611
Parada, M., 607
Paré, W. P., 417
Pau, K.-Y. F., 797
Pau, M.-Y. C., 797
Pauly, J. R., 109
Peinado, J. M., 633
Pérez, M. C., 333
Perez, V. J., 137
Persinger, M. A., 27
Peters, R. H., 749
Petrovic, D. M., 9, 735
Phillips, A., 227
Phoenix, C. H., 157
Pi-Sunyer, F. X., 645
Porte, D., Jr., 205
Potegal, M., 235
Price, M., 709
Pryce, C. R., 717
Puerto, A., 173

Raizer, J., 483
Ramacci, M. T., 769
Ramos, J. M. J., 173
Reuss, S. 91
Rissman, E. F., 1
Robinson, S. R., 131
Rodriguez-Sierra, J. F., 267
Rolls, B. J., 727
Romero, M.-T., 257
Rosen, J. B., 117
Rowland, N. E., 461, 473
Rowles, J. S., 339
Rozin, P., 61
Rusk, I. N., 545
Rydall, A., 227

Sachs, B. D., 125, 825
Saito, H., 413
Sakata, T., 539
Salem, C., 355
Sales, G. D., 829
Samson, H. H., 775
Satinoff, E., 709
Scalzo, F. M., 75
Schallert, T., 469
Scheurink, A. J. W., 581
Schneider, J. E., 209
Schneiderman, N., 405
Schröder, H., 91
Schwartz, D., 607
Schwartzbaum, J. S., 507
Sclafani, A., 181
Seth, A., 573
Shimada, K., 431
Shingai, T., 431
Shiraishi, T., 591
Shirakawa, T., 247
Siegfried, B., 383
Simpkins, J. W., 573
Slangen, J. L., 273
Skofitsch, G., 267
Slob, A. K., 147
Smith, C. J., 137
Smith, F. J., 625
Smith, G. P., 535, 569
Smith, J. C., 625
Smotherman, W. P., 131
Sommerville, S., 137
Spies, H. G., 797
Steffens, A. B., 581
Stehle, J., 91
Steinhoff, W. C., 15
Stewart, W. F., 61
Stoughton, R., 829
Strubbe, J. H., 205
Sufka, K. J., 749
Sullivan, R. M., 85
Svare, B., 301

Takahashi, H., 495
Takahashi, K., 393
Takahashi, L. K., 741
Talan, M. I., 753
Talbert, D. R., 685
Tang, M., 817
Tani, Y., 389
Teich, A. H., 405
Thompson, E. G., 691
Thompson, M. E., 101
Thorne, B. M., 339
Tomaz, C., 361
Trancho, G. J., 307
Tsujii, S., 495

Ullman, E. A., 109
Urca, G., 39
Usui, T., 495

van der Gugten, J., 273
VanderWeele, D. A., 679, 685
Van der Werff ten Bosch, J. J., 147
Vasselli, J. R., 679
Vollrath, L., 91

Wada, H., 221, 539
Wade, G. N., 209
Wagner, S., 21
Wainwright, P. E., 781
Walsh, M. L., 9, 735
Warburton, V. L., 829
Ward, G. R., 781
Watanabe, T., 221
Wayner, M. J., 619
Weatherford, S. C., 569
Weingarten, H. P., 699
Wesensten, N. J., 215
Weyers, M.-H., 763
Williams, S. L., 817
Wilson, D. A., 85
Winters, R. W., 405
Wiśniewski, K., 327
Witczuk, B., 327
Witt, D. M., 691
Wlasienko, J., 327
Woods, S. C., 205

Yamatodani, A., 539
Yavorsky, J., 101
Yehuda, R., 373
Yoshimatsu, H., 539

Zellner, D. A., 61

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.